

(P3.125/P2.5/P1.875)

Smartest  
Speediest  
Seamless

Linkable  
Poster LED

83" Poster LED

## Features

- ◆ Frame Size: 630.2\*2055.2mm
- ◆ Display size: 600mm x 2025 mm
- ◆ Display Model: Sync/async model
- ◆ Output Signal: HDMI
- ◆ Operation System: Android system
- ◆ Operation Mode: Signal wires/ WIFI/ 4G/USB
- ◆ Thickness: 35mm
- ◆ Slim Frame Design: 10mm
- ◆ Front Maintenance Design
- ◆ Aluminum Alloy Integrated Frame
- ◆ Foldable Bracket
- ◆ Super Light Design with 39kg/set




## Visual

- ★ 3,840 Refresh rate
- ★ 600-800cd/m<sup>2</sup> (adjustable)
- ★ 6,000:1 high contrast
- ★ 160° Wide viewing angle
- ★ 14 - 16 Bit
- ★ Adaptive resolution, media spread on full screen automatically








Poster LED

83" Poster LED




### Interfaces

- USB 3.0 x 1
- HDMI x 2
- Audio x 1
- RJ45 x 1
- WiFi

 USB	 HDMI	 RJ45	 4G network
 Audio out	 Brightness adjustment	 WIFI	

# Poster LED




### Various Control Mode

- HDMI Sync
- Plug & play by USB
- App via WiFi


## Smart cloud management

Anywhere & Anytime



## Optional Playback Modes

Mirror mode and screen-split modes



## What's UNIQUE ?

---

Patent magnetic frame & hinge enable rapid splicing in a few seconds for

2 - 6 units of posters, without any gaps. FHD can be realized by 6 x P1.8mm



Poster LED

An idea for instant events



# Poster LED

Endless installation ways

83" Poster LED



Movable



Foldable bracket



Hanging



Landscape



Incline



Windmill

# Poster LED

## Reliable & Easy maintenance

\* GOB technology: anti-collision, anti-moire and cleanable

\* Novastar Android system

\* Easy front maintenance in 3 seconds



Maintenance Tool



Main Control Board  
Free-tool Maintenance

## Accessories



Network Cable



HDMI cable



Hanging kits



Front maintenance tool



Pedestal



Hanging beam



Flight case

## Specification

Parameter	X181P-83	X251P-83	X311P-83
Pixel Pitch (mm)	1.875	2.571	3.125
Resolution (WxH)	320x1080	240x810	192x648
Operating System	Android	Android	Android
Screen Display Size (mm)	600 x 2025	600 x 2025	600 x 2025
Total Size (WxHxD) (mm) (With frame)	630 x 2055 x 42.6	630 x 2055 x 42.6	630 x 2055 x 42.6
Weight (kg/screen)	39	39	39
Grayscale (Bit)	14-16	14-16	14-16
Refresh Rate (Hz)	3840	3840	3840
Contrast Rate	6000:1	6000:1	6000:1
Brightness (nits)	0-800 ( adjustable )	0-800 ( adjustable )	0-800 ( adjustable )
Viewing Angle (H°/V°)	160°/160°	160°/160°	160°/160°
Video Interface	HDMI*2 (1 Input and 1 Output), USB 3.0*1	HDMI*2 (1 Input and 1 Output), USB 3.0*1	HDMI*2 (1 Input and 1 Output), USB 3.0*1
Audio Interface	External Audio Interface	External Audio Interface	External Audio Interface
Control Interface	RJ45, WIFI, 4G Network (Optional)		
Video Format	MP4, AVI, WMV, etc.	MP4, AVI, WMV, etc.	MP4, AVI, WMV, etc.
AC Input Power Max. / Avg.(W/screen)	520W/screen / 155W/screen	600W/screen / 200W/screen	600W/screen / 200W/screen
Installation / Maintenance	Standing (Standard) / Stacking(Optional) / Hanging(Optional) / Wall Mounting(Optional)		

Parameters may vary

# Poster LED

Smartest, Speediest & Seamless Linke